

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(US-20070150619-\$ or US-20050034029-\$ or US-20040230692-\$ or US-20040205207-\$ or US-20030200301-\$ or US-20040128315-\$ or US-20030046390-\$ or US-20020055924-\$ or US-20020000464-\$).did. or (US-6356949-\$).did. or (JP-2000353140-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 07:40
L2	1	1 and (http same (wan internet)) and (snmp same (lan intranet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 07:42
L3	2	1 and (snmp same (lan intranet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 07:42
L4	2	3 and http and (internet wan)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 07:43
L5	357	((judg\$ determin\$) with (internet with intranet))	US-PGPUB; USPAT	OR	ON	2008/01/11 07:45
L6	2	1 and 5	US-PGPUB; USPAT	OR	ON	2008/01/11 07:48
L7	986	(judg\$ determin\$) with (internet wan) with (intranet lan)	US-PGPUB; USPAT	OR	ON	2008/01/11 07:46
L8	2	1 and 7	US-PGPUB; USPAT	OR	ON	2008/01/11 07:48
L9	5837	(judg\$ determin\$) same (internet wan) same (intranet lan)	US-PGPUB; USPAT	OR	ON	2008/01/11 07:46
L10	3	1 and 9	US-PGPUB; USPAT	OR	ON	2008/01/11 07:46
L13	6	1 and ((internet wan) with (intranet lan))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:12
L14	6	1 and ((internet wan) same (intranet lan))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 07:57
L15	3	1 and ((internet wan) same (intranet lan) same (decis\$ judg\$8 determin\$8 elect\$8 select\$8 pick\$8 choos\$8 switch\$8))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:15
L16	1	1 and ((internet wan) same (intranet lan) same (snmp http))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 07:59

EAST Search History

L17	0	1 and ("if" with (wan internet) with http)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:01
L18	4	1 and ((wan internet) with http)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:02
L19	1	1 and ((lan intranet) with snmp)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:01
L20	2	1 and ((lan intranet) same snmp)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:01
L21	5	1 and ((wan internet) same http)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:02
L22	2	1 and motoyama.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:12
L23	2	22 and ("274" "262" "260" 10 "278" "285" "286" "268")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:13
L24	2	22 and ("274" "262" "260" "10" "278" "285" "286" "268")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:13
L25	3	1 and ((internet wan) same (intranet lan) same (decis\$8 judg\$8 determin\$8 elect\$8 select\$8 pick\$8 choos\$8 switch\$8 distinguish\$8))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:16
L26	3	1 and ((internet wan) same (intranet lan) same (decis\$8 judg\$8 determin\$8 elect\$8 select\$8 pick\$8 choos\$8 switch\$8 distin\$8))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:16
L27	5	1 and ((internet wan) same (intranet lan) same (decis\$8 judg\$8 determin\$8 elect\$8 select\$8 pick\$8 choos\$8 switch\$8 distin\$8 different\$8))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:27
L28	0	20 and "212"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:18
L29	1	20 and 21	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:21
L30	4	1 and snmp.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:21

EAST Search History

L31	1	1 and ((internet wan) same (intranet lan) same (decis\$8 judg\$8 determin\$8 elect\$8 select\$8 pick\$8 choos\$8 switch\$8 distin\$ different\$8) same (printer scanner fax facsimile))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:23
L32	4353	((internet wan) same (intranet lan) same (decis\$8 judg\$8 determin\$8 elect\$8 select\$8 pick\$8 choos\$8 switch\$8 distin\$ different\$8) same (printer scanner fax facsimile))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:23
L33	1	((internet wan) same (intranet lan) same (decis\$8 judg\$8 determin\$8 elect\$8 select\$8 pick\$8 choos\$8 switch\$8 distin\$ different\$8) same (printer scanner fax facsimile) same snmp same http)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:25
L34	0	"when" with (intranet lan) with snmp	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:25
L35	0	when with (intranet lan) with snmp	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:25
L36	1	if with (intranet lan) with snmp	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:25
L37	1	"if" with (intranet lan) with snmp	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:26
L38	202	((intranet lan) with snmp) and ((internet wan) with http)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:26
L39	153	38 and mib	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:26
L40	81	39 and oid	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:26
L41	1	40 and xml	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:27
L42	81	40 and tcp\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:27
L43	81	42 and ((internet wan) same (intranet lan) same (decis\$8 judg\$8 determin\$8 elect\$8 select\$8 pick\$8 choos\$8 switch\$8 distin\$ different\$8))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:28

EAST Search History

L44	79	43 and (@ad<"20030228" @rlad<"20030228")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:32
L45	78	44 and tag	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:29
L46	78	45 and device	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:31
L47	3	40 not 46	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 08:31
L48	1	47 and (@ad<"20030228" @rlad<"20030228")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 11:01
L49	3498	(709/223).CCLS.	USPAT	OR	OFF	2008/01/11 11:00
L50	3854	(709/224).CCLS.	USPAT	OR	OFF	2008/01/11 11:00
L51	1210	(709/250).CCLS.	USPAT	OR	OFF	2008/01/11 11:00
L52	6908	(709/223).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/11 11:00
L53	118	52 and mib and oid	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 11:01
L54	25	52 and mib and oid and xml	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 11:01
L55	14	54 and (@ad<"20030228" @rlad<"20030228")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 11:28
L56	8	55 and snmp and http	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 11:02
L57	4	56 and (intranet lan) and (internet wan)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 11:02

EAST Search History

L58	15	(US-20070150619-\$ or US-20050034029-\$ or US-20040230692-\$ or US-20040205207-\$ or US-20030200301-\$ or US-20040128315-\$ or US-20030046390-\$ or US-20020055924-\$ or US-20020000464-\$ or US-20040088386-\$ or US-20030110252-\$ or US-20020091944-\$ or US-20020091815-\$).did. or (US-6356949-\$).did. or (JP-2000353140-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:06
L59	3	58 and (snmp with (translat\$ transform\$) with http)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:09
L60	8	58 and (mib with (sav\$8 stor\$8))	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:24
L61	10	58 and (device with status)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:11
L62	6	60 and 61	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:10
L63	15	58 and (mib)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:17
L64	12	58 and (snmp same http)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:17
L65	10	58 and (snmp with http)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:18
L66	2	57 and (snmp with http)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:18
L67	3	57 and (snmp same http)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:18
L68	2	57 and (mib with (sav\$8 stor\$8))	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:19
L69	2	57 and (mib same (sav\$8 stor\$8))	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:19

EAST Search History

L70	5	58 and ((internet wan) with http)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:25
L71	1	58 and ((intranet lan) with snmp)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:25
L72	3	58 and ((intranet lan) same snmp)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:27
L73	6	58 and ((internet wan) same http)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:27
L74	1230	52 and ((internet wan) same http)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:27
L75	175	52 and ((intranet lan) same snmp)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:28
L76	51	75 and 74	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 11:28
L77	50	76 and (@ad<"20030228" @rlad<"20030228")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 11:28
L78	0	77 and xml and oid and mib	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 11:28
L79	8	77 and oid and mib	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 11:32
L80	4	58 and firewall	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 11:39
L81	0	58 and (fire adj wall)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 11:32
L82	14	58 and (judg\$ determin\$ deci\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 11:43
L83	11	58 and (judg\$ determin\$ deci\$) same (internet intranet lan wan network route path)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 11:43
L84	7	58 and (snmp same oid same mib)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 12:34

EAST Search History

L85	1	58 and (snmp same oid same mib same (intranet lan))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 12:33
L86	8	58 and (snmp same oid same request\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 12:43
L87	14	58 and (snmp)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 12:36
L88	14	58 and (snmp and request\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 12:39
L89	14	58 and (snmp same (mib oid request\$))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 12:39
L90	0	58 and (rms same oid same request\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 12:44
L91	9	58 and (oid same request\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 12:44
L92	7	58 and (oid same request\$ same mib)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 12:44
L93	9	58 and (request\$ same mib)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 12:53
L94	10	58 and (tag)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 12:53
L95	13	58 and (tcp\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 12:56
L96	13	58 and (xml)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:01
L97	2	58 and (xml with tag with descri\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:02
L98	1	58 and (xml with tag with descri\$ with oid)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:02
L99	1	58 and (xml with tag with oid)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:02

EAST Search History

L100	1	58 and (xml same tag same oid)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:03
L101	1	58 and (xml same tag\$6 same oid)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:03
L102	1	58 and (xml same tag\$6 same mib)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:03
L103	2	58 and (oid with tag\$6)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:05
L104	2	58 and (oid with tag\$6) and xml	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:05
L105	2	58 and (oid same tag\$6) and xml	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:17
L106	7	58 and (oid same request\$ same mib)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:17
L107	1	"20040230692"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:58
L108	2	jp-2000353140-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L109	2	JP-11165567-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L110	0	JP11165567.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L111	1	2001-143479.NRAN.	DERWENT	OR	ON	2008/01/11 13:58

EAST Search History

L112	1	L107 and (hardware software signal carrier wave propagat\$ transit\$ transmission media medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L113	10	oid and mib and tag and ftp and http and xml and tcp\$3 and snmp and internet and intranet and printer and scanner and (fax facsimile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L114	15	oid and mib and tag and ftp and http and xml and tcp\$3 and snmp and internet and intranet and (mfp printer scanner fax facsimile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L115	0	oid and mib and tag and ftp and http and xml and tcp\$3 and snmp and internet and intranet and printer and scanner and fax and facsimile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L116	3	oid and mib and tag and http and xml and tcp\$3 and snmp and internet and intranet and (mfp printer scanner fax facsimile) and (xml near tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L117	23	oid and mib and tag and http and xml and tcp\$3 and snmp and (mfp printer scanner fax facsimile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L118	15	oid and mib and tag and http and xml and tcp\$3 and snmp and internet and intranet and (mfp printer scanner fax facsimile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58

EAST Search History

L119	1	L107 and intranet.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:58
L120	1	L107 and ftp.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:58
L121	1	L119 L120	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:58
L122	3	oid and mib and tag and http and xml and tcp\$3 and snmp and (mfp printer scanner fax facsimile) and (xml near tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L123	5	L118 and (@ad<"20030228" @rlad<"20030228")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L124	12	L117 and (@ad<"20030228" @rlad<"20030228")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L125	0	L122 and (@ad<"20030228" @rlad<"20030228")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L126	5	L114 and (@ad<"20030228" @rlad<"20030228")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L127	345	(715/514).CCLS.	USPAT	OR	OFF	2008/01/11 13:58
L128	1655	(715/513).CCLS.	USPAT	OR	OFF	2008/01/11 13:58
L129	480	(709/242).CCLS.	USPAT	OR	OFF	2008/01/11 13:58
L130	135	(715/516).CCLS.	USPAT	OR	OFF	2008/01/11 13:58
L131	332	(715/523).CCLS.	USPAT	OR	OFF	2008/01/11 13:58

EAST Search History

L132	1210	(709/250).CCLS.	USPAT	OR	OFF	2008/01/11 13:58
L133	3253	(358/1.15).CCLS.	USPAT	OR	OFF	2008/01/11 13:58
L134	805	(709/249).CCLS.	USPAT	OR	OFF	2008/01/11 13:58
L135	245	(715/515).CCLS.	USPAT	OR	OFF	2008/01/11 13:58
L136	11	(US-20040230692-\$ or US-20040205207-\$ or US-20020000464-\$ or US-20050034029-\$ or US-20030200301-\$ or US-20030046390-\$ or US-20020055924-\$ or US-20070150619-\$ or US-20040128315-\$).did. or (US-6356949-\$).did. or (JP-2000353140-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L137	2	L136 and (mib same oid same tag\$6)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L138	8	(US-20040230692-\$ or US-20040205207-\$ or US-20020000464-\$ or US-20050034029-\$ or US-20030200301-\$ or US-20030046390-\$ or US-20020055924-\$).did. or (JP-2000353140-\$).did.	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L139	6	L138 and (snmp same http)	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L140	357	((judg\$ determin\$) with (internet with intranet))	US-PGPUB; USPAT	OR	ON	2008/01/11 13:58
L141	1	L5 and (snmp same (intranet lan))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L142	5	L138 and (MIB with (stor\$8 sav\$))	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L143	5	L138 and (MIB with (stor\$8 sav\$8))	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L144	1	L138 and ((judg\$ determin\$) with (internet and intranet))	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L145	1	L138 and (snmp with intranet)	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L146	3	L138 and (intranet)	US-PGPUB; JPO	OR	ON	2008/01/11 13:58

EAST Search History

L147	1	L138 and ((judg\$ determin\$) with (snmp and http))	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L148	3	L138 and (tcp\$3 same xml)	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L149	1	L138 and (tcp\$3 same oid)	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L150	2	L138 and (snmp same (wan lan intranet))	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L151	3	L138 and (intranet and snmp and http and internet)	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L152	7	L138 and (tcp\$3)	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L153	4	L138 and (lan wan)	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L154	3	L138 and (http same internet)	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L155	1	L154 and L150	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L156	2	L136 and (xml with tag\$6)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L157	5	L138 and (tcp\$3 same (mib status device))	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L158	1	L138 and (intranet same snmp same http same internet)	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L159	1	L138 and (intranet same snmp) and (http same internet)	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L160	1	L138 and (intranet same snmp)	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L161	2	L150 and (http and internet)	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L162	257	((judg\$ determin\$) with (internet and intranet))	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L163	212	((judg\$ determin\$) with (internet with intranet))	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L164	129	L163 and (@ad<"20030228" @rlad<"20030228")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58

EAST Search History

L165	0	L164 and mib	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L166	0	L164 and mib and oid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L167	0	L164 and oid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L168	0	L164 and ib and oid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L169	0	L164 and (snmp same (intranet lan))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L170	28	L164 and (http same (internet wan))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L171	1	L164 and snmp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58

EAST Search History

L172	1	L171 and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L173	0	L170 and snmp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L174	23	((judg\$ determin\$) with (snmp with http))	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L175	12	L174 and (@ad<"20030228" @rlad<"20030228")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L176	33	((judg\$ determin\$) with (snmp with http))	US-PGPUB; USPAT	OR	ON	2008/01/11 13:58
L177	22	L176 and (@ad<"20030228" @rlad<"20030228")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L178	10	L177 not L175	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L179	2	L5 and mib and oid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58

EAST Search History

L180	1	L179 and (@ad<"20030228" @rlad<"20030228")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L181	5	L136 and (MIB with (stor\$8 sav\$8))	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L182	5	L136 and (intranet and snmp and http and internet)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L183	79	L5 and (http same (internet wan))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L184	11	L136 and (MIB)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L185	6	L136 and (MIB with (stor\$8 sav\$8))	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L186	7	L136 and (MIB same (stor\$8 sav\$8))	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L187	3	L136 and (xml same tag\$6)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L188	2	L136 and (oid with tag\$6)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L189	5	L136 and (mib with tag\$6)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L190	9	L136 and (xml and tag\$6)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L191	2	L136 and (oid same tag\$6)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L192	8	L136 and (tcp\$3 same (mib status device oid))	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58

EAST Search History

L193	2	L191 and xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:58
L194	8	L136 and (tcp\$3 same (mib status device))	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L195	11	(US-20040230692-\$ or US-20040205207-\$ or US-20020000464-\$ or US-20050034029-\$ or US-20030200301-\$ or US-20030046390-\$ or US-20020055924-\$ or US-20070150619-\$ or US-20040128315-\$).did. or (US-6356949-\$).did. or (JP-2000353140-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L196	8	L195 and (MIB same (stor\$8 sav\$8))	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L197	7	L195 and (MIB same (stor\$8 sav\$8))	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L198	5	L197 and oid and address	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L199	6	L197 and oid	US-PGPUB; JPO	OR	ON	2008/01/11 13:58
L200	7	L196 and oid	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L201	913520	L200 an address	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L202	6	L200 and address	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L203	11	(US-20040230692-\$ or US-20040205207-\$ or US-20020000464-\$ or US-20050034029-\$ or US-20030200301-\$ or US-20030046390-\$ or US-20020055924-\$ or US-20070150619-\$ or US-20040128315-\$).did. or (US-6356949-\$).did. or (JP-2000353140-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58

EAST Search History

L204	7	L203 and (wan internet) and (lan intranet) and snmp and http	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/11 13:58
L205	6	L203 and (device with status)	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58
L206	9	L203 and status	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 13:58



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

oid mib xml http snmp

SEARCH

THE ACM DIGITAL LIBRARY

Feedback

oid mib xml http snmp

Terms used: [oid](#) [mib](#) [xml](#) [http](#) [snmp](#)

Found 4 of 237,516

Sort results by

relevance



Save results to a Binder

Display results

expanded form



Open results in a new window

 Refine these results with [Advanced Search](#)

 Try this search in [The ACM Guide](#)

Results 1 - 4 of 4

1 [Development of SNMP-XML translator and gateway for XML-based integrated network management](#)

Jeong-Hyuk Yoon, Hong-Taek Ju, James W. Hong

 July 2003 **International Journal of Network Management**, Volume 13
 Issue 4

Publisher: John Wiley & Sons, Inc.

Additional Information: [full citation](#), [abstract](#),

Full text available: pdf(251.82 KB)

[references](#), [cited by](#), [index terms](#)

The research objective of our work is to develop a SNMP MIB to XML translation algorithm and to implement an SNMP-XML gateway using this algorithm. The gateway is used to transfer management information between an XML-based manager and SNMP-based agents. ...

Ads by Google

[Dijkstra's Algorithm](#)

 White Paper: How to Build software-defined converged networks. [.PDF]
www.ciena.com

[Random Number Generation](#)

 Stanford finance risk mgmt courses.
 Learn new ideas & proven techniques
scpd.stanford.edu

2 [Distributed XML-based network management using JPVM](#)

Shaik Sirajuddin, Mohammed H. Sqalli

 July 2006 **International Journal of Network Management**, Volume 16
 Issue 4

Publisher: John Wiley & Sons, Inc.

Full text available: pdf(727.08 KB)

Additional Information: [full citation](#), [abstract](#),
[references](#), [index terms](#)

The proliferation of the Internet and related applications has led to an increasing need for a more efficient and scalable network management framework. As the size of networks increases, more challenges are presented to network managers. One of these ...

[Encryption Algorithm](#)

 Encrypt PC's, Laptops, PDA's
 With Pointsec Products From Check Point
www.CheckPoint.com

3 [A JMX toolkit for merging network management systems](#)

Feng Lu, Kris Bubendorfer

 January 2006 **ACSC '06: Proceedings of the 29th Australasian Computer Science Conference - Volume 48**, Volume 48

Publisher: Australian Computer Society, Inc.

Full text available: pdf(149.38 KB)

Additional Information: [full citation](#), [abstract](#),
[references](#), [index terms](#)

The ever increasing size of networks has resulted in a corresponding escalation of administration costs and lengthy deployment cycles. Clearly, more scalable and flexible network management systems are

[Matching Software](#)

 Fastest, most accurate matching software (B2B, B2C, Entities, etc.)
www.datalever.com

required to replace existing centralised services. ...

Keywords: JMX, SNMP, network management

4 A remote personal device management framework based on SyncML



DM specifications

Hailiang Mei, Johan Lukkien

May 2005 **MDM '05**: Proceedings of the 6th international conference on
Mobile data management

Publisher: ACM

Full text available: pdf(335.13 KB) Additional Information: [full citation](#), [abstract](#),
[references](#), [index terms](#)

This paper describes a new design of the remote device management (RDM) framework, which is suited to personal devices. Once this Remote Personal Device Management (RPDM) framework is enabled, parties like manufacturing companies, service providers, ...

Keywords: RPDM, SyncML DM, access control, privacy, remote device management, security

Results 1 - 4 of 4

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)